



## TECHNICAL DATA SHEET – KCF3KT\_PL193

### Kordsa Textile Reinforcements for Composite Industry

Kordsa has a wide range of unidirectional and bidirectional fabrics (plain, twill, harness satin and basket). Carbon, glass and aramid fibers can be used as reinforcement materials in traditional and hybrid fabrics.

**Applications:** Prepreg production, RTM, vacuum infusion, wet lay-up, preforming

#### DESCRIPTION

Type of yarns	<b>Warp:</b> CF 3000 TORAY T300
	<b>Weft:</b> CF 3000 TORAY T300
Nominal weight	193 g/m <sup>2</sup> ± 3%
Weave style	Plain
Width	1255 mm +/- 10/0 mm
Core diameter	76/152 mm

#### CHARACTERISTICS

Construction	<b>Warp:</b> 4,8 ± 0,1 yarn/cm
	<b>Weft:</b> 4,8 ± 0,1 picks/cm
Weight distribution	<b>Warp:</b> 50%
	<b>Weft:</b> 50%

[www.kordsaglobal.com](http://www.kordsaglobal.com)

[reinforcer@kordsaglobal.com](mailto:reinforcer@kordsaglobal.com)

NOTICE –All rights reserved. Kordsa reserves the right to update, revise or modify such technical data and information at any time. The data disclosed herein is for information purposes only without any legal responsibility attributable to Kordsa. Kordsa recommends Customer's own testing of the suitability of our products for its particular purpose. Kordsa makes no express or implied warranty or representation, including but not limited to the warranties of merchantability, commercial availability and/or fitness for a particular purpose.