



## TECHNICAL DATA SHEET – KCF24KTW800

### Kordsa Textile Reinforcements for Composite Industry

Kordsa has a wide range of unidirectional and bidirectional fabrics (plain, twill, harness satin and basket). Carbon, glass and aramide fibers can be used as reinforcement materials in traditional and hybrid fabrics.

**Applications:** Prepreg production, RTM, vacuum infusion, wet lay-up, preforming

#### DESCRIPTION

Type of yarns	<b>Warp:</b> CF 24000 DOWAKSA A42 D05
	<b>Weft:</b> CF 24000 DOWAKSA A42 D05
Nominal weight	800 g/m <sup>2</sup> ± 3%
Weave style	2X2 Twill
Width	1250 mm ± 10 mm
Core diameter	76/152 mm

#### CHARACTERISTICS

Construction	<b>Warp:</b> 2,5 yarn/cm
	<b>Weft:</b> 2,5 picks/cm
Weight distribution	<b>Warp:</b> 50%
	<b>Weft:</b> 50%

#### OTHER INFORMATIONS

**KORDSA**  
TEKNIK TEKSTİL A.Ş.

**CENTER:**  
ALKAHYA FATİH MAH.  
SANAYİCİ CAD. NO:90  
41310 İZMİT, KOCAELİ  
T 0282 318 70 00  
F 0282 318 70 70  
www.kordsa.com  
Mersis No: 0577-0053-5640-0013  
Trade Registry Office: Kocaeli  
Trade Registry No: 28907

**TEKNOPARK OFFICE:**  
SANAYİ MAH. TEKNOPARK BULVARI  
NO:1/1B 34906 PENDİK, İSTANBUL  
T 0216 300 10 00

**BRAZIL**  
**CHINA (Contact Office)**  
**EGYPT**  
**INDONESIA**  
**USA**  
**THAILAND**  
**TURKEY**



**[www.kordsaglobal.com](http://www.kordsaglobal.com)**

**[reinforcer@kordsaglobal.com](mailto:reinforcer@kordsaglobal.com)**

NOTICE –All rights reserved. Kordsa reserves the right to update, revise or modify such technical data and information at any time. The data disclosed herein is for information purposes only without any legal responsibility attributable to Kordsa. Kordsa recommends Customer’s own testing of the suitability of our products for its particular purpose. Kordsa makes no express or implied warranty or representation, including but not limited to the warranties of merchantability, commercial availability and/or fitness for a particular purpose.